Lexmark X4	160 Series	PRINT COPY COPY SCAN	FAX UP TO 38 PPM UP LEX DUPLEX NETWORK	
Lexmark X463de	Lexmark X464de	Lexmark X466de		

# Introducing a big, bright future for small workgroups!





## Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their revenue on printing and active print management can cut office print costs by up to 30%1, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

<sup>(1)</sup> Source: InfoTrends/CapVentures, Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service, August 2008

Compact and reliable, Lexmark X460 Series MFPs bring serious performance benefits to small and medium-sized workgroups. Benefit from powerful productivity tools, cost-saving workflow solutions, and a large, intuitive colour touchscreen interface for amazingly simple access to a rich range of features. This includes duplex scanning, advanced copying and easy user authorization for enhanced security.



- The intuitive colour touch screen gives you one-touch access to all functions
- MyMFP lets each member of your workgroup save and retrieve their own touch-screen settings on a flash drive
- Copy or scan two-sided and multiple-page documents easily by loading up to 50 sheets in the automatic document feeder
- LED indicators help you line up your originals, so you can scan them accurately and effortlessly

you print responsibly at every phase of your office work.

- Automatic duplex printing saves paper as well as valuable archiving space
- Extra-high-yield toner cartridges (up to 15,000\* pages) help reduce the total number of cartridges used
- Eco-Mode and Quiet Mode help you save energy and reduce noise
- The instant-warm-up fuser reduces power consumption
- Recycle used cartridges easily and free of charge with the Lexmark Cartridge Collection Programme

\* Declared vield value in accordance with ISO 19752

# Lexmark X460 Series

Explore the features that keep you moving

















### Simple duplex scanning

Load your stack of originals – up to 50 sheets – and let the automatic document feeder do the work for you.

### Front-side USB port

Scan directly to a flash drive or use a flash drive to store and retrieve your personal MFP settings with the MyMFP feature.

### LED indicator lights

Illuminated guides show you where to place your originals, so you can scan perfectly every time.

### Multipurpose feeder

Print on diverse media types, like envelopes, labels and card stock without removing your paper from the main tray.

### **Direct USB printing**

Just walk up, insert a flash drive, select a PDF, XPS or image file and start printing.


### **Optional extra input**

Boost your total input capacity by adding a second drawer (up to 250 or 550 sheets).

### Wireless capability

Break free from network cables with the Wi-Fi CERTIFIED 802.11n option

## The Productivity Checklist If you've got all these, then you've got a Lexmark!





### Now showing on the big screen...

The incredibly large, fully featured colour touch screen gives you fast, easy access to document capture and workflow functions. Tailor it to your business requirements with the icons and shortcuts you need most. You can even change the background image to whatever suits you best, like your logo.

### **Cutting-edge security**

From network security to user- and function-access restrictions, Lexmark offers you a wide range of features to help protect your valuable data and ensure network security. In addition to IPSec, SNMPv3 and 802.11x network security, the Lexmark X460 Series offers an alphanumeric pad for easy PIN authentication, plus encryption and disk wiping to secure your optional hard disk.

### Personalised user settings

A real efficiency booster, Lexmark's MyMFP feature lets multiple users save and re-access their personal settings on a simple flash drive, including their local address book, individual copy settings, and even their own touch-screen configuration. They simply walk up to the MFP, slide in their flash drive and the MFP literally transforms into their own personal device.

### **Effortless manageability**

These devices are network-ready and very easy to set up. If you have multiple Lexmark devices installed, the Lexmark Universal Driver offers even easier deployment. Once up and running, onscreen custom messaging makes life simpler too by providing users with clear information, like intuitive show-me messaging. What's more, Lexmark MarkVision Professional software provides simplified remote management and automated tools to keep your workday flowing!

### **Intelligent Job Waiting**

One person's setback should not mean a bottleneck for the whole workgroup! Say someone launches a print job that requires labels, but none is loaded. Why lose precious uptime? Lexmark's Job Waiting feature will simply hold that job aside while everyone else goes on working without interruption (hard disk required).

### Efficient traffic shaping

When you email a large file from your Lexmark X460 Series MFP, it won't cause a traffic jam on your network. That's because traffic-shaping technology can partition your network traffic and designate lower bandwidth for outbound flows. This is useful for busy networks and externally hosted Web servers, and especially Wide Area Networks (WAN).

### Lexmark's Embedded Solutions Framework

«Experience more productivity than you could ever imagine! Lexmark's new multifunction devices come solutions-ready. That means they can be customised easily to meet your unique printing needs. Contact your Lexmark representative to find out how simple it is to tailor your MFP with one or more of Lexmark's leading industry solutions. With the touch of an icon you can transform your hardcopy documents into digital workflow, helping you print less, save time, lower costs, and reduce the environmental impact of printing.Embedded Solutions Framework is optional on Lexmark X463de and Lexmark X464de (requires hard disk and 256MB memory)»

## Lexmark X460 Series



## Get exactly the performance you need



Lexmark X463de Intuitive 3-in-1 MFP with touch-screen

interface

- Duplex print, copy and scan
- Up to 38 ppm print speed
- First page out as fast as 6.5 seconds
- 128MB of RAM standard
- Up to 50-sheet multipurpose feeder
- Ships with 7,000\*-page Lexmark Return Program Toner Cartridge
- Choice of replacement cartridge yields: 3,500\*, 9,000\* and 15,000\* pages
- Recommended monthly volume: 2,000 to 10,000 pages



Lexmark X464de Reliable 4-in-1 MFP, including high-speed fax

• Same as the Lexmark X463de but includes high-speed fax



### Lexmark X466de

Fully configured MFP with plenty of options

- 256MB of RAM standard
- 80GB hard disk included for expanded functionality
- Lexmark Embedded Solutions Framework
- Extra-input model available (Lexmark X466dte)
- Wireless-ready model available (Lexmark X466dwe)

## Product specifications

## Lexmark X460 Series

	Lovmark V160da	Lovmark V161do	Lovmark V166da
	Lexmark X463de	Lexmark X464de	Lexmark X466de
Printing			
Print Technology		Monochrome Laser	
Print Speed (A4, Black): Up to	38 ppm		
Time to First Page (Black)	As fast as 6.5 seconds		
Print Resolution, Black	1200 lm	nage Quality, 1200 x 1200 dpi, 2400 Image Quality,	600 x 600 dpi
Memory, Standard	128 MB	128 MB	256 MB
Memory, Maximum		640 MB	
Hard Disk	Option available	Option available	Included in configuration
Acoustics/Noise level (Operating mode)		53 dBA	
Acoustics/Noise level (Idle mode)		22 dBA	
Maximum Monthly Duty Cycle: Up to	80000 pages per month		
Recommended Monthly Page Volume	2000 - 10000 pages		
Supplies			
Supplies Yield	9,000*-page High Yield Toner	Cartridge, 3,500*-page Toner Cartridge, 15,000*-p	age Extra High Yield Toner Cartridge
(*Average standard page yield value declared in accordance w	th		
ISO/IEC 19752.)			
Cartridge(s) Shipping with Product		7,000*-page Starter Return Program Toner Cartri	dge
Copying			
Copy Speed (A4, Black): Up to		38 cpm	
ADF Scan		RADF (reversing Duplex)	
Scanning Resolution	600 X 600 dpi (mono)		
Reduce / Enlarge Range		25 - 400 %	
Faxing			
Modem Speed		33.6 Kbps	33.6 Kbps
Paper Handling			
Paper Handling Standard	150-Sheet Output	Bin, Integrated Duplex, 250-Sheet Input Tray, 50-Sh	neet Multipurpose Feeder
Paper Handling Optional		Drawer, Only one drawer may be installed at a time,	
Paper Input Capacity, Standard: Up to		300 pages 20 lb or 75 gsm bond	
Paper Input Capacity, Maximum: Up to	850 pages 20 lb or 75 gsm bond		
Paper Output Capacity, Standard: Up to	150 pages 20 lb or 75 gsm bond		
Paper Output Capacity, Maximum: Up to	150 pages 20 lb or 75 gsm bond		
ADF Paper Input Capacity : Up to	50 pages 20 lb or 75 gsm bond		
Media Types Supported	Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide		
Media Sizes Supported			Executive, Folio, JIS-B5, Legal, Letter, Statement, Uni
		sal, Oficio	Electricity, 1 616, 616 Ec, Ecgal, Estal, Statisticit, 611
Compatibility		000, 011010	
Network Protocol Support	TCP/P	Pv4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IF	
Printer Languages (Standard)	PCL 5e Emulation, PCL 6 Emulation, PPDS, PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (XML Paper Specification)		
Connectivity (standard)	Fast Ethemet, One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Front USB 2.0 Specification Hi-Speed Certified port (Type A), Rear US		
Connocating (Chandralic)	Fast Einemet, One Internal Caro Slot, USB 2.0 Specification HI-Speed Certified (Type B), Front USB 2.0 Specification HI-Speed Certified port (Type A) 2.0 Specification HI-Speed Certified port (Type A)		
Microsoft Windows Operating Systems Supported	2000 XP Server 2003 XP x64. Server 2003 run		al Services, Server 2003 x64, Server 2003 x64 runnin
increased and a pointing ejetenic cupper tou			Services, Server 2008 x64 running Terminal Services
Apple Macintosh Operating Systems Supported		Mac OS X, Mac OS 9.x	
Other Operating Systems Supported		www.lexmark.com	
General		www.iexinark.com	
Function	Color Scanning, Copying, Network Scanning,	Color Scanning, Copying, Faxing, Network	Color Scanning, Copying, Faxing, Network
	Printing	Scanning, Printing	Scanning, Printing
Product Guarantee	r midtig	1-Year Onsite Service, Next Business Day	
Product Certifications	501 y 400 y 400 mm	www.lexmark.com	501 v 400 v 400 mm
Size (mm - H x W x D)	531 x 488 x 438 mm	531 x488 x 438 mm	531 x488 x 438 mm
Weight (kg)		22.7 kg	
Specified Operating Environment	I remperature: 16 to 32°C (60 to 90°F), Altitude: 0	<ul> <li>- 2000 interess (8,200 Feet), Humidity: 8 to 80% Rel</li> </ul>	lative Humidity for Temperatures less than 25.5°C (78°

Maximum Monthly Duty Cycle «Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

Recommended Monthly Page Volume Aecommended Monthly Page Volume -Aecommended Monthly Page Volumes -a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper before the used of the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

#### License Terms/Agreement


Printers are sold subject to certain license/agreement conditions. See ww.lexmark.com/printerlicense for licensing details

Trademarks Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company. AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USB-IF logos are trademarks of Universal Serial Bus Implementers form, Inc. ENERGY STAR® is a U.S. registered mark Microsoft. Windows, Iwidows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice.

# Lexmark X460 Series

0014F0100 RS-232C Serial Interface Card

### Lexmark X463de



Part #	Model	
0013C1129	Lexmark X463de	
Part #	Laser Toner/Print Cartridge	
0X463X11G	X463, X464, X466 Extra High Yield Return Program Toner Cartridge	
0X463H11G	X463, X464, X466 High Yield Return Program Toner Cartridge	
0X463A11G 0X463X21G 0X463H21G 0X463A21G 0E260X22G	X463, X464, X466 Return Program Toner Cartridge X463, X464, X466 Extra High Yield Toner Cartridge X463, X464, X466 High Yield Toner Cartridge X463, X464, X466 Toner Cartridge E260, E360, E460 Photoconductor Kit	
Part #	Paper & Transparencies	
0012A5010	Lexmark Laser Printers - A4 Transparency	
Part #	Paper Handling	
0034S0550 0034S0250	550-Sheet Drawer 250-Sheet Drawer	
Part #	MFP Options	
0014F0052	MarkNet N8110 V.34 Fax Card	
Part #	Memory Options	
	128MB DDR1-DRAM 256MB DDR1-DRAM 512MB DDR1-DRAM 256MB Flash Card 80+GB Hard Disk	
Part #	Application Solutions	
0030G0829 0034S7721	Lexmark PrintCryption Card X463, X464, X466 Forms and Bar Code Card	
Part #	Connectivity	
001021294 0014F0037 0014F0042	USB (2 Meter) Cable MarkNet N8120 Gigabit Ethernet Print Server MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print	
0014F0045 0014T0155 0014T0220 0014F0000 001021231	Server MarkNet N8150 802.11b/g/n Wireless Print Server Lexmark N4050e 802.11g Wireless Print Server MarkNet™ N7020e Gigabit Ethernet Print Server Parallel 1284-B Interface Card Parallel (10) Cable	

Part #	Extended Warranties
002350870	2-Years Total Onsite Service, Next Business Day
002350871	3-Years Total Onsite Service, Next Business Day
002350872	4-Years Total Onsite Service, Next Business Day
002350873	5-Years Total Onsite Service, Next Business Day
002350874	1-Year Onsite Service Renewal, Next Business Day
Part #	User Replaceable Parts
0040X5472	ADF Separator Pad
0040X5471	ADF Separator Roll
0040X5804	ADF Flatbed Cushion
0040X5807	X46x ADF Maintenance Kit
Part #	Installation Service
002350886	X463 Install, De-Install Service

002350889 3-Years Total Onsite Service, Next Business Day 002350890 4-Years Total Onsite Service, Next Business Day 002350891 5-Years Total Onsite Service, Next Business Day 002350892 1-Year Onsite Service, Next Business Day

 Part #
 User Replaceable Parts

 0040X5472
 ADF Separator Pad

 0040X5471
 ADF Separator Roll


 0040X5804
 ADF Hatbed Cushion

 0040X5807
 X46x ADF Maintenance Kit

 Part #
 Installation Service

 002350904
 X464 Install, De-Install Service

In the box Lexmark X463de Laser Multifunction Printer, Up to 7,000 pages\* Starter Return Program Toner Cartridge, Photoconductor Kit, Software and documentation CD, Setup Guide or sheet (network and local attachment), Power cord(s), Statement of limited warranty / guarantee, Operator panel language overlay, Safety sheet or booklet, Lexmark Cartridge Collection Program information



Part #	Model
0013C1154	Lexmark X464de
Part #	Laser Toner/Print Cartridge
0X463X11G	X463, X464, X466 Extra High Yield Return Program Toner Cartridge
0X463H11G	X463, X464, X466 High Yield Return Program Toner Cartridge
0X463A11G 0X463X21G	X463, X464, X466 Return Program Toner Cartridge X463, X464, X466 Extra High Yield Toner Cartridge
0X463H21G	X463, X464, X466 High Yield Toner Cartridge
0X463A21G 0F260X22G	X463, X464, X466 Toner Cartridge E260, E360, E460 Photoconductor Kit
Part #	Paper & Transparencies
0012A5010	Lexmark Laser Printers - A4 Transparency
Part #	Paper Handling
0034S0550 0034S0250	550-Sheet Drawer 250-Sheet Drawer
Part #	Memory Options
001022298	128MB DDR1-DRAM
001022299	256MB DDR1-DRAM 512MB DDR1-DRAM
0014F0245	256MB Flash Card
0014F0102	80+GB Hard Disk
Part #	Application Solutions
0030G0829	Lexmark PrintCryption Card
0034S7721	X463, X464, X466 Forms and Bar Code Card
Part #	Connectivity
001021294	USB (2 Meter) Cable
0014F0037 0014F0042	MarkNet N8120 Gigabit Ethernet Print Server MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print
001-11 0042	Server
0014F0045	MarkNet N8150 802.11b/g/n Wireless Print Server
0014T0155	Lexmark N4050e 802.11g Wireless Print Server
0014T0220 0014F0000	MarkNet™ N7020e Gigabit Ethernet Print Server Parallel 1284-B Interface Card
001021231	Parallel (10') Cable
	BS-232C Serial Interface Card
0014F0100	ho-2020 benar interface caru

002350888 2-Years Total Onsite Service, Next Business Day


Lexmark X464de Laser Multifunction Printer, Up to 7,000 pages* Starter Return Program Toner Cartridge, Photoconductor Kit, Software and documentatic CD, Setup Guide or sheet (network and local attachment), RJ-11 Phone cable or adapter (country dependent), Power cord(s), Statement of limited warrant guarantee, Operator panel language overlay, Safety sheet or booklet, Lexmark Cartridge Collection Program information
---

### Lexmark's guarantee to you

At Lexmark, we're always working hard to ensure you achieve maximum productivity and minimum downtime. For greater level of peace of mind, you can opt for one of our Lexmark service offerings detailled on www.lexmark.com/services

# \_exmark X460 Series

### Lexmark X466de



Paper Handling Optional

 
 Part #
 Model

 0013C1238
 Lexmark X466de
 Part # 0X463X11G 
 Part #
 Laser Toner/Print Cartridge

 0X463X116
 X463, X464, X466 Extra High Yield Return Program Toner Cartridge

 0X463H116
 X463, X464, X466 High Yield Return Program Toner Cartridge
 0X463A116 X463, X464, X466 Return Program Toner Cartridge 0X463X216 X463, X464, X466 Extra High Yield Toner Cartridge 0X463X121 X463, X464, X466 High Yield Toner Cartridge 0X463X216 X463, X464, X466 Toner Cartridge 0E260X226 E260, E360, E460 Photoconductor Kit 
 Part #
 Paper & Transparencies

 0012A5010
 Lexmark Laser Printers - A4 Transparency
 Paper Handling Part # 0034S0550 550-Sheet Drawer 0034S0250 250-Sheet Drawer 
 Part #
 Memory Options

 001022298
 128MB DDR1-DRAM

 001022299
 256MB DDR1-DRAM

 001022301
 512MB DDR1-DRAM

 001022302
 526MB Flash Card
 Part # Application Solution 003060829 Lexmark PrintCryption Card 0034S7721 X463, X464, X466 Forms and Bar Code Card 0034S7720 X466 Card for IPDS/SCS/TNe Part # Connectivity 0016201294 USB (2 Meter) Cable 0014F0037 MarkNet N8120 Gigabit Ethernet Print Server 014F0042 MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server 
 Server

 0014F0045
 MarkNet N8150 802.11b/g/n Wireless Print Server

 0014T0155
 Lexmark N4050e 802.11b g/ireless Print Server

 0014T0204
 MarkNet\* M7020e Gigabit Element Print Server

 0014T0204
 MarkNet\* M7020e Gigabit Element Print Server

 0014T0204
 MarkNet\* M7020e Gigabit Element Print Server

 0014D1204
 Parallel 1284-8 Interface Card

 0014D1204
 Rs-232C Serial Interface Card

 0014F0100
 RS-232C Serial Interface Card

002350907 3-Years Total Onsite Service, Next Business Day 002350908 4-Years Total Onsite Service, Next Business Day 002350910 5-Years Total Onsite Service, Next Business Day 002350910 1-Year Onsite Service, Renewal, Next Business Day Part # **User Replaceable Parts** 0040X5472 ADF Separator Pad 0040X5471 ADF Separator Roll 0040X5804 ADF Flatbed Cushion 0040X5807 X46x ADF Maintenance Kit 
 Part #
 Installation Service

 002350922
 X466 Install, De-Install Service

Other models available 0013C1155 - Lexmark X466dte: Lexmark X466de with extra 550 sheet paper drawer 0013C1156 - Lexmark X466dwe: Lexmark X466de with wireless	In the box Lexmark X466de Laser Multifunction Printer, Up to 7,000 pages* Starter Return Program Toner Cartridge, Photoconductor Kit, Software and documentation CD, Setup Guide or sheet (network and local attachment), RJ-11 Phone cable or adapter (country dependent), Power cord(s), Statement of limited warranty / guarantee, Operator panel language overlay, Safety sheet or booklet, Lexmark Cartridge Collection Program information
--	---

 Part #
 Extended Warranties

 002350906
 2-Years Total Onsite Service, Next Business Day

#### Lexmark's guarantee to you

Lexmark's (1-Year Exchange warranty) on the Lexmark (X) Series provides added peace of mind. Enhanced service offerings may be available by contacting your Lexmark representative or visiting www.lexmark.com. Optimize your printer's performance and investment value by using genuine Lexmark supplies, service and parts



### nmental commitment

Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programs please visit www.lexmark.com/recycle

#### Cost saving and environmental features - Energy Star compliant

Duplex printing, multi-up and support of recycled paper help reduce paper consumption

 Eco-Mode reduces power consumption and Quiet Mode reduces noise emission Extra High Yield Print Cartridges and Lexmark Cartridge Collection Program help reduce landfill



www.lexmark.com

