

you can
Canon

iRC1021i
Multifunctional Printer

Multifunctional A4 colour printing
made easy

SIMPLE TO
OPERATE

GREAT
COLOUR



iRC1021i

COLOUR

The easy way to produce superb colour documents

Bringing colour into your office has never been simpler or more cost effective. Canon's multifunctional iRC1021i is surprisingly powerful for such an affordable compact device, boasting speedy high quality A4 prints, a sizeable operation panel and the latest in document security.



Easy colour

Quick colour



Easy-Scroll Wheel allows effortless access to all functions

High quality colour

Print your documents in colour with the iRC1021i and they're sure to grab everyone's attention. An impressive print resolution of 2,400 dpi x 600 dpi, allows your proposals to stand out, your reports to get noticed, and your document communication to achieve that crucial competitive edge.

Highly productive

Print, copy, scan, send or fax* – it's quick and simple with the multifunctional

**21 pages
per minute**

iRC1021i. Colour and black and white printing is carried out at a swift 21 pages per minute. A sturdy document feeder, plus a potential paper supply of 850 sheets, ensures sizeable print runs can be comfortably accommodated.

The iSend facility enables the iRC1021i to be a great communicating aid – instantly sending files to e-mail addresses, desktop, ftp server and file locations.

Ever so easy

A large 3.5 inch colour display with an Easy-Scroll Wheel allows effortless access to all functions. Intuitive, illustrated set-up and troubleshooting wizards, show you how to use the device, ensuring smooth and hassle free operation at all times.

Size matters

You might be surprised to find such heavyweight performance from such

**Compact
PDF
function**

a compact device, measuring just 546mm x 527mm x 632mm (w x d x h). Documents can be scanned into a number of digital formats including convenient 'Compact PDF' using Canon's unique high compression technology. This provides high quality, portable PDF documents that are perfect for sharing via SEND functionality.

Efficient control, effective security

The iRC1021i incorporates Canon's Auto Colour Sensing technology which intelligently detects which pages within a document contain colour. This helps to keep your costs down as you only pay for colour when you use it. There's no need to concern yourself with constant device monitoring, as eMaintenance automatically reports any problems to the appropriate provider of service and maintenance, for speedy resolution.

Combine the iRC1021i with Canon's uniFLOW Output Manager for a host of extra features, such as User Print Accounting, which allows you to track usage and associated costs, and Secure Printing, which stores print jobs until the user correctly identifies themselves via the relevant security method e.g. card or password.

Considerate to the environment

Switch on and the iRC1021i is ready to go in just 60 seconds. And when not in use, a sleep mode is automatically invoked consuming just 1.2 watts. Plus, you can save paper as well as improving the professionalism of reports, thanks to the device's double sided printing capabilities.



Specifications iRC1021i

Type	Desktop
Maximum Original Size	A4
Copy Sizes	Cassette: A4, A5
Resolution	Stack Bypass: A5, A4, Envelopes Copying: 600dpi x 600dpi Printing: 2400dpi equivalent x 600dpi (PCL, UFR II LT) 256 Gradations
Copy/Print Speed	A4: BW 21 cpm / Colour 21 cpm
Magnification	Zoom: 50-200% Fixed: 50%, 70%, 100%, 141%, 200% approx. 12.5 sec
First copy time	60 sec or less
Warm-Up Time	1 to 99 sheets
Multiple Copies/Prints	Yes (built-in as standard/A4)
Duplex Printing	Cassette: 60 to 120g/m ² Stack Bypass: 60 to 176g/m ² Duplex: 60 to 120g/m ²
Paper weight	A4, A5
Cassette	250 sheets x 1 cassette 60 to 80g/m ² Stack Bypass: 100 sheets 60 to 80g/m ²
Paper Capacity (80g/m ²)	500 sheets x 1 cassette 60 to 80g/m ² Max. total paper capacity: 850 sheets
Standard	Canon Custom Processor 400MHz
Optional	768Mb
CPU	Ethernet (100Base-TX/10Base-T), USB2.0
Memory	Serial I/F (TTL) for New Card Reader (E-1, TTL Serial I/F)
Interface	220-240V AC (50/60Hz)
Power Supply	1,210W
Power Consumption (W)	546 x 527 x 632 mm
Dimensions (WxDxH)	546 x 527 x 936 mm with Optional cassette
Weight	43.3 kg including CRG
SEND FUNCTION	
Scan Speed with ADF	B&W & Colour: 19.7ipm A4 600dpi
Scan Resolution	B&W: 100 x 100dpi, 150 x 150dpi, 200 x 100dpi, 200 x 200dpi, 200 x 400dpi, 300 x 300dpi, 400 x 400dpi, 600 x 600dpi Colour: 100 x 100dpi, 150 x 150dpi, 200 x 200dpi, 300 x 300dpi, 600 x 600dpi
Destinations	E-Mail/Internet FAX (SMTP), PC (SMB,FTP), iWDM Gateway
Address book	Local (Max 300)

File Format	Single: (B&W) TIFF, PDF, Searchable PDF (OCR) (Colour) JPEG, PDF, High compression PDF (OCR), Searchable PDF Multi: (B&W) TIFF, PDF, Searchable PDF (OCR) (Colour) JPEG, PDF, High compression PDF (OCR), Searchable PDF FAX/Internet FAX format (B&W): MH, MR, MMR, JBIG (FAX only)
PRINTER FUNCTION	
PDL	UFR II LT, PCL 5c/6
Resolution	2400dpi equivalent x 600dpi (PCL, UFR II LT)
Memory	768Mb (Uses Main Unit CPU)
CPU	Canon Custom Processor 400MHz (Uses Main Unit CPU)
PCL Fonts	Roman 80 (including OCR)
Supported OS	PCL: Windows 2000/XP/2003 Server/VISTA/2008 Server UFR II LT: 2000/XP/2003 Server/VISTA /2008 Server, Mac OS 10.2.8 - 10.4.3 Ethernet (100Base-TX/10Base-T), USB2.0 TCP/IP (LPD/RAW (Port9100))
Interface	
Network Protocol	
DADF (Standard)	
Paper size	
Copy	Single: A4R, A5R, A5, Duplex: A4R
Scan	Single & Duplex: A4R, A5R, A5
Paper weight	50g/m ² to 105g/m ² : A4, 64g/m ² to 105g/m ² : less than A4
Max. Number of originals	A4: 50 sheets (80 g/m ²)
Document	
Scanning speed (max.)	
Copy	B&W & Colour: 19.7ipm A4 600dpi/300dpi
Scan	B&W & Colour: 19.7ipm A4 600dpi/300dpi
OTHER ACCESSORIES	
Cst. Feeding Unit-Ab1 Super G3 Fax Bd-Ab1 Card Reader-E1 Card Reader Attnt-F1 Barcode Printing Kit-C1	
Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. This leaflet and the specifications of the product have been developed prior to the date of product launch. Final specifications are subject to change without notice. ® and ®: All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. Canon Recommends you use Canon Media for the best results. Please check media (paper) compatibility list to see which variety of paper/media is recommended. Canon's GENUINE logo means Quality all-round performance. For more information, go to www.canon-europe.com/Canon_Copier_Consumable_Technology	

you can
Canon

Canon Inc.
www.canon.com

Canon Europa N.V.
www.canon-europe.com

English-UK Edition 0126W147
© Canon Europa N.V., 2008 (0908)

Canon (UK) Ltd
Woodhatch, Reigate
Surrey RH2 8BF
Telephone No: 01737 220000
Facsimile No: 01737 220022
www.canon.co.uk



Canon Ireland
Arena Road, Sandyford Industrial Estate
Dublin 18, Ireland
Telephone No: 01-2052400
Facsimile No: 01-2958141
www.canon.ie

